S.A. Malliaroudakis Maritime UK Ltd.

DESCRIPTION OF SMM DRAFT SURVEY ONLINE

BRIEF DESCRIPTION

This sophisticated software is the essential add-on to appropriate hardware (system of Tanks/C.H. sensors), that contributes to achieving robust and real time monitoring onboard vessel of loading/unloading operations based on distance sensors' measurements and wireless data transmission online to a Central Unit for further processing.

Features & Benefits of Draft Survey Online for vessel and office application:

- In that way, online and real time cargo loading/unloading quantity is being assessed along with the displacement, mean draft, trim, list, Deflection, Air Draft from Radar Mast, Air Draft from Hatches, propeller immersion.
- Particularly, concerning cargo operation monitoring, based on the desired cargo determination, current and rest cargo quantities are defined with indication of elapsed time, expected completion of charging/discharging operation and cargo rates for last 10/20/60 min.
- Also, the software allows the user to set restrictions in terms of Load Zone and Port Draft and Air Draft from Hatches and Radar Mast Restrictions as warnings for the whole monitoring of operation.
- Furthermore, our software allows the user to set restrictions in terms of Load Zone and Port Draft and Air Draft from Hatches and Radar Mast Restrictions as warnings for the whole monitoring of operation.
- Moreover, the software involves visual representation tools, ie. graphs as Function (Drafts, Trim, List, Deflection, Air Draft From hatches and radar mast, Propeller Immersion, DWT, Cargo, Cargo Rates and Known Weights vs Time during operation)
- Additionally, software can save and recall a certain monitored operation.
- All the calculations are based on the actual shipyards data, which is ship specific.

FREQUENTLY ASKED QUESTIONS

- 1. How the crew familiarization is achieved?
 - a. Manual is incorporated in each Program with detailed & extensive Instructions
 - b. Distant Training
 - c. Direct Replies to Email of Masters / Chief Officers / Chief Engineers with Cc to your good Company
 - d. User Friendliness of Software Interface with a brief description of required actions
- 2. How we can we handle tiresome ISM / SMS Amendments for alignment with this SMM Product?
 - a. SMM Software is tailored to your company's policy/S.M.S. meaning minor ISM/SMS alterations.
 - Just a quick reference to the SMM Software in place and their Manual Contents in ISM is, often, common and effective practice for the majority Shipping Companies.
- 3. Relative requirements of Programs (hardware, software, data exchange if any)
 - a. Light, server-based application running exclusively on Windows operating system environments
 - b. SMM Software can be operated by multiple users (clients) on a network
 - c. Sync Mechanism requires email access or *data import path* for the whole fleet or a desired path for each vessel.
 - d. Possible export in desired editable format, upon discussion and analysis.

SCREENSHOTS

and the second se	Open Save	Delete Print	LogFi	-	diversity.	Start		District Pr	a 🖂 🖬 tetta	Set Ge C	lart Restrictions	Setting	8 Ext
Code : Notes	Test907		Locat	ion : Un	egeray - N	Bencades				+ Det	*	•	
										Carg	Grain		-
										Search Delete			
_					Draft Ma					Weight		-	
	then I		FORMARD		MIDS	5264	- Al		Ehip	Benaining	Hoown (Tanka)	Car	
AGA	8-7-2013	19:49:00	Port 11,97	13,80	Ped	12.99		9,53	Diselecement 25,260,5	and Constants 30.622,5	Tatal	Discha e.el	15689
etad.	87.2013	19:49:00	11,57	13,80	7,93	12,99	6.61	9,53	39,260,5	30.622.5	0.0	0.0	15689
-1	8/7/2013	19.50.50	11,92	13.74	7,00	12,99	6.67	9,53	39,000,3	30 622.5	0.0	-200.2	15591
	6/7/2013	19:51:50	11,90	13,71	7.86	12,91	6.55	9.45	30.990.7	30 622 5	160.6	-461,4	15692
-3	8/7/2013	19 53 00	11.00	13.00	7.03	12.00	0.53	9.47	30.059.7	30.622.5	100.0	461.4	15693
-	6/7/2013	19:54:00	11.05	13.05	7.81	12.00	0.51	9.40	36 759.7	30 822.5	160.6	461.4	10004
	8/7/20113	19-54-001	11.000	1100	1 101	12.04	6.47	1.37	31 600 1	3010225			100000
-		17 2011	and the second	19:55:09	4 2401		Pastion		-				1.02
EV EV	-	O Tetal 0.0	00 Tota 137		Poresen V LO Total 23		Conais (M FW Total Ø/		her Total Gra	100,6		ead Weigh is due to d	
Everytes	N Tutal 0.0 - Draft at Perge IP M	O Total 8.0 Indiculars (M)	132	3 Mean I	LO Total 23 Craft (M) of means)		FW Total 0, Trim (M) by Sham		0.0 List (S€G) By Pot	Tellection (CM) Eagging	Air Druft from Railar Mett (M)	Pro	efector 1.9 peller rim (%)
Nutte-	N Tutal 0.0 - Cout at Perpe	O Total 8.0 Indiculars (M)		3 Mean I	10 Total 23		FW Total Ø/ Tran (M)		0.0 List (2€0)	Tellection (CMD	Ar Dudt from	Pro	ndector 1,9 peller
EV EV Valt - Desire Dische	N Total P 0.0 - Draft of Perge M 12,75 M 12,05 Current of Current o	0.Total 8.0 (ndiculars (M) 5 (0.33)	132 7.44 Discharg 23	Maran I (Maran I (Maran I	LO Total 23 Draft (M) of means) 19,29 Passing Dischal		FW Total 0/ Trim (M) by Shem 2.5	a Concharge	0.0 List (ECO) by Pot 12.38 d Carpo Expected Time Day 19.56.50	168.6 Deflection (CM) Exaging 13,53 Data/Tane naming Tane 1 sala 52 set	Air Druft from Railar Mett (M)	o Rates (M	peller ion (%) 59,94

Please see below **Screenshots**:

S.A. Malliaroudakis Maritime (UK) Ltd.

<u>UK Office:</u> 1, Portulacea Gardens · High Snoad Wood · TN25 4DS · Challock, Ashford, Kent · U.K. · **Tel**: <u>+44</u> (0) 1233 742673

<u>GR Office:</u> 41, Agiou Dimitriou Str. • 185 46 • Piraeus • Greece • **Tel.:** +30 210 45 10000 • **Fax:** + 30 210 46 10333

Web: <u>www.smmnet.com</u> · Email: <u>info@smmnet.co.uk</u> , <u>sales@smmnet.co.uk</u>