S.A. Malliaroudakis Maritime UK Ltd.

DESCRIPTION OF SMM OIL RECORD BOOK TRAINER SOFTWARE

BRIEF DESCRIPTION

ORB Trainer is the most complete and easy-to- use software assistant for creating valid entries for Oil Record Book – Part I (Machinery Space Operations), in compliance with MARPOL requirements. The application is based on IMO's guidance, for the recording of operations in the Oil Record Book Part I (Machinery Space Operations). Combining a clean, easy to use interface and a perpetual check of the remaining on-board quantities for tanks included in vessel' s IOPP Certificate, ORB Trainer simplifies the creation of the desirable ORB entries while making sure they are valid.

Features of Oil Record Book Module for vessel and office application:

- Check of coordinates against Special Areas (ie. OWS) & SECAs (ie. Incinerator)
- Automatic synchronization of data between vessel and office
- Audit Log-Trail for all Users' activities
- Restrictions in **Disposal Methods** of Oil Residues
- Sludge Production Check against Daily Fuel Oil Consumption
- Statistics Figures

Benefits of Oil Record Book Module for vessel and office application:

- Automatic corrections for Trim/Heel/Density/Temperature.
- Improved efficiency of operations, judgement and communication.
- Timeline of all the recorded ORB Operations
- **Clarity &Transparency** based on official shipyard's documentation endorsed by SMM (UK) Ltd. as 3rd party.

FREQUENTLY ASKED QUESTIONS

- 1. How the crew familiarization is achieved?
 - a. Manual is incorporated in each Program with detailed & extensive Instructions
 - b. Distant Training
 - c. Direct Replies to Email of Masters / Chief Officers / Chief Engineers with Cc to your good Company
 - d. User Friendliness of Software Interface with a brief description of required actions
- 2. How we can we handle tiresome ISM / SMS Amendments for alignment with this SMM Product?
 - a. SMM Software is tailored to your company's policy/S.M.S. meaning minor ISM/SMS alterations.

- b. Just a quick reference to the SMM Software in place and their Manual Contents in ISM is, often, common and effective practice for the majority Shipping Companies.
- 3. Relative requirements of Programs (hardware, software, data exchange if any)
 - a. Light, server-based application running exclusively on Windows operating system environments
 - b. SMM Software can be operated by multiple users (clients) on a network
 - c. Sync Mechanism requires email access or *data import path* for the whole fleet or a desired path for each vessel.
 - d. Possible export in desired editable format, upon discussion and analysis.

SCREENSHOTS

Please see below **Screenshots**:

LLIA	ROUDAK					
e En	try P	int En	tries	Box	Number of ORB entries in selected vi	iew: 11
D	ate	Code	Item	Record of Operations	Entry Remarks	
20 NO	W-2017	F	19	11:11HRS	0	Check or update Skulge/Holding tanks quantities
				11.11HRS		Check or update studge/moving tanks quantities
				REASON FOR FAILURE: BOLLFILTER		
				Entry added by: Demo User (CHEF ENGINEER)		Actual Quantities
13-10	14-2017	C		INCINERATOR SERVICE TANK (FR.14 - 15, ER CASING, UPPER DECK, STARBOARD)	0	
				20043		Machinery space operations
				19043		
				Entry added and closed by: Demo User (CHIEF ENGINEER)		Update/Direck Actual vs Expected
13N0	19-2017	с		INCINERATOR SETTLING TANK (FR.14-15, ER CASING, UPPER DECK, STARBDARD)	0	Quartities.
				20043		
				116M2		
				Entry added and closed by Demo User (CHIEF ENGINEER)		
13-NO	N-2017	С		SLUDGE TANK (FR.33 - 45, PORT SIDE)	ø	> Nort
				1610M3		- IVUKI
				15.00M3		
				Entry added and closed by: Demo User (CHEF ENGINEER)		~~~
13-10	W-2017	c		WASTE OL, TANK (FR.28-37, PORT SIDE)	0	
				48.30M3		
				47.00M3		Warrings
				Entry added and closed by: Demo User (CHIEF ENGINEER)		
1310	19-2017	C.	123	0.10M3 SLUDGE FROM INCINERATOR SERVICE TANK (FR.14 - 15, ER CASING, UPPER DECK, STARBOARD), 1.50M3 RETAINED	0	IOPPC's
				SURNED IN INCINERATOR FOR. S.OHRS		Tank details and settings
10.00		-		Entry added and closed by: Demo User (CHEF ENGINEER) SLUDGE TANK (FR 33 - 45, PORT SIDE)		
TONU	w-2017	6		SLUDBE TANK (PK 35-46, PORT SLUE) 16/10/0		
				1450M3 850M3		
			11.4	U SOM 3 Entry added and closed by Deno User (CHEF ENGINEER)		
10.00				Ently added and closed by Denio Use (CHILP ENUMILEN) SLUDGE TANK (FR 33 - 45, PORT SIDE)	Ø	
10-10	11/05/17	U		SLUUBE IAVIK (HI 33-KE PORT SIDE) 16.1040	0	

roup A	Group B	Group C Weekly inventory of oil residues tanks	
Cleaning of oil fuel tanks (Item No's 1, 2, 31, 32, 3.3) Ballasting of oil fuel tanks (Item No's 1, 2, 4.1, 4.2) Cleaning and ballasting (Item No's 1, 2, 31, 32, 3.3, 41, 4.2)	Discharge of dirty ballast (Item No's: 5, 6, 7, 8, 9.1, 9.2, 10) Cleaning water from fuel oil tanks (Item No's: 5, 6, 7, 8, 9.1, 9.2, 10)	Weekly inventity of unestodes tanks (tem No's: 11, 11, 2, 11, 3) Manual collection of oil residues (tem No's: 11, 1, 11, 2, 11, 3, 11, 4) Manual collection of oil residues from Hold. Tar (tem No's: 11, 1, 11, 2, 11, 3, 11, 4) Transfer oil residues to port facilities (tem No's: 12, 1) I ranster oil residues to other tank[s] (tem No's: 12, 3, 12, 4)	
roup D	Group E	Group F	
Von-automatic pumping of bilge water from engine-room bilge wells or other source tem No's: 13, 14, 15.1, 15.2, 15.3) Von-automatic pumping from a bilge tank IOPPC par. 3.3) tem No's: 13, 14, 15.1, 15.2) Von-automatic transfer from a bilge tank IOPPC par. 3.3) to other tank(s) tem No's: 13, 14, 15.3)	Automatic pumping of bilge water overboard from bilge tanks (IOPPC par. 3.3) (Item No's: 16, 18) Automatic pumping of bilge water overboard from engine-room bilge wells (Item No's: 16, 18) Automatic transfer of bilge water to bilge tanks (IOPPC par. 3.3) (Item No's: 17, 18)	Condition of the oil filtering equipment (incl. alarm and automatic stopping devices) (Item No's: 19, 20, 21)	
roup G	Group H	Group I	
Accidental or other exceptional discharges of oil (Item No's: 22, 23, 24, 25)	Bunkering of fuel oil (Item No's: 26.1, 26.2, 26.3) Bunkering of diesel oil (Item No's: 26.1, 26.2, 26.3) Bunkering of bulk lubricant oil (Item No's: 26.1, 26.2, 26.4)	Additional operational procedures and general remarks Test OWS/OCM Optional sealing of MARPOL Annex I related valve Breaking of optional sealing of MARPOL Annex I related valvo	
rch for desired operation Treate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017	Remarks:	Logged in as: Demo User (CHIEF ENGINE	
reate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info	Remarks:	Logged in as: Demo User (CHIEF ENGINE Missed entry Information Please indical	
Ereate an entry for ORB - Part I (M/V DEMO) IB Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017	Remarks:	Logged in as: Demo User (CHIEF ENGINE Missed entry	
ireate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017 eration Details Group C - Disposal of oil residues	Remarks: Total Capacity (m3) Total Capacity (m3) Total Capacity (m3)	Logged in as: Demo User (CHIEF ENGINE Missed entry I Information Please indicat the total incineration time, in hours	
ireate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017 ate: 20	Total Capacity Expected Quantity Qua (m3) (m3) (m3) (m3) (m3)	Logged in as: Demo User (CHIEF ENGINE Missed entry Information Please indicat the total incineration time, in hours	
Treate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017 eration Details Group C - Disposal of oil residues Disposal of oil residues # Tank name (IOPPC par. 3.1) SLUDGE TANK 2 WASTE OIL TANK	Total Capacity (m3) Expected Quantity (m3) Tran Qua (m3) 16.10 16.10 48.30 48.30	Logged in as: Demo User (CHIEF ENGINE Missed entry Please indical incineration time, in hours	
ireate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017 ate: 20	Total Capacity Expected Quantity Qua (m3) (m3) (m3) (m3) (m3)	Logged in as: Demo User (CHIEF ENGINE Missed entry Please indical incineration time, in hours	
Treate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info eration Details Group C - Disposal of oil residues Disposal of oil residues # Tank name (IOPPC par. 3.1) SLUDGE TANK WASTE OIL TANK NCINERATOR SERVICE TANK	Total Capacity (m3) Expected Quantity (m3) Tran Qua (m3) 16.10 16.10 48.30 48.30 2.00 1.95 0.0	Logged in as: Demo User (CHIEF ENGINE Missed entry Information Please indicat the total incineration time, in hours 15	
Treate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info atte: 20/11/2017 eration Details Group C - Disposal of oil residues Disposal of oil residues # Tank name (IOPPC par. 3.1) # Tank name (IOPPC par. 3.1) # Tank name (IOPPC par. 3.1) # SLUDGE TANK 2 WASTE OIL TANK 3 INCINERATOR SERVICE TANK 4 INCINERATOR SETTLING TANK	Total Capacity (m3) Expected Quantity (m3) Tran Qua (m) 16.10 16.10 48.30 48.30 2.00 1.95 0.0 2.00 1.16 10	Logged in as: Demo User (CHIEF ENGINE Missed entry Information Please indicat the total incineration time, in hours 15	
Treate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017 eration Details Group C - Disposal of oil residues Disposal of oil residues Disposal of oil residues # Tank name (IOPPC par. 3.1) 1 SLUDGE TANK 2 WASTE OIL TANK 3 INCINERATOR SERVICE TANK 4 INCINERATOR SERVICE TANK 4 INCINERATOR SETTLING TANK Select disposal method: Disposal of oil residues Select disposal method: Disposal of oil residues Disposal of oil residues Select disposal method: Disposal of oil residues Select disposal method: Disposal of oil residues Disposal of oil residues	Total Capacity (m3) Expected Quantity (m3) Tran Qua (m3) 16.10 16.10 48.30 48.30 2.00 1.35 0.0 2.00 1.16 Total Quantity to be disposed (m3) : 0.0	Logged in as: Demo User (CHIEF ENGINE Missed entry Information Please indicat the total incineration time, in hours 15	
Treate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017 eration Details Group C - Disposal of oil residues Disposal of oil residues # Tank name (IOPPC par. 3.1) # SLUDGE TANK # INCINERATOR SERVICE TANK # INCINERATOR SETTLING TANK Select disposal method: Select disposal method: Mater evaporation	Total Capacity (m3) Expected Quantity (m3) Tran Quantity (m3) 16,10 16,10 48,30 48,30 2.00 1.95 0.0 2.00 1.16	Logged in as: Demo User (CHIEF ENGINE Missed entry Information Please indicat the total incineration time, in hours 15	
Treate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017 eration Details Group C - Disposal of oil residues Disposal of oil residues Disposal of oil residues # Tank name (IOPPC par. 3.1) 1 SLUDGE TANK 2 WASTE OIL TANK 3 INCINERATOR SERVICE TANK 4 INCINERATOR SERVICE TANK 4 INCINERATOR SETTLING TANK Select disposal method: Disposal of oil residues Select disposal method: Disposal of oil residues Disposal of oil residues Select disposal method: Disposal of oil residues Select disposal method: Disposal of oil residues Disposal of oil residues	Total Capacity (m3) Expected Quantity (m3) Tran Qua (m3) 16.10 16.10 48.30 48.30 2.00 1.35 0.0 2.00 1.16 Total Quantity to be disposed (m3) : 0.0 0.00 1.16	Logged in as: Demo User (CHIEF ENGINE Missed entry Information Please indicat the total incineration time, in hours Information	
Treate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017 eration Details Group C - Disposal of oil residues Disposal of oil residues # Tank name (IOPPC par. 3.1) 1 SLUDGE TANK 2 WASTE OIL TANK 3 INCINERATOR SERVICE TANK 4 INCINERATOR SETTLING TANK Select disposal method: Select disposal method: Water evaporation Regeneration Other Method	Total Capacity (m3) Expected Quantity (m3) Tran Qua (m3) 16.10 16.10 48.30 48.30 2.00 1.35 0.0 2.00 1.16 Total Quantity to be disposed (m3) : 0.0 0.00 1.16	Logged in as: Demo User (CHIEF ENGINE Missed entry Information Please indicat the total incineration time, in hours 15	
Treate an entry for ORB - Part I (M/V DEMO) B Operation: Disposal of oil residues (Sludge) neral Info ate: 20/11/2017 eration Details Group C - Disposal of oil residues Disposal of oil residues # Tank name (IOPPC par. 3.1) SLUDGE TANK # Tank name (IOPPC par. 3.1) SLUDGE TANK # Tank name (IOPPC par. 3.1) SUDGE TANK # TANK NAME # TANK NAM	Total Capacity (m3) Expected Quantity (m3) Tran Qua (m3) 16.10 16.10 0 48.30 48.30 0 2.00 1.95 0.0 2.00 1.16 0 Total Quantity to be disposed (m3) : 0.0 Duration (hrs) 0.0 8 0.20 m3/h 0.20 m3/h	Logged in as: Demo User (CHIEF ENGINE Missed entry	

Add entry Clear data Exit

×



M/V I	DEMO			Oil Record Book - Part I	Page : 2						
Dist	Name of the Ship										
#	Date	Code	Item	Record of Operations / Signature of officer							
		(letter)	(number)	name of and signature of authorised sur	rveyor						
1	06-FEB-2015	С	12.3	1.00m3 sludge from WASTE OIL TANK (FRAMES 33 0m3 retained	- 45), 30.3						
2				Burned in incinerator for: 2hrs							
3				Signature Rank Dat	te						

WE CAN SAIL TOGETHER.....

S.A. Malliaroudakis Maritime (UK) Ltd.

<u>UK Office:</u> 1, Portulacea Gardens · High Snoad Wood · TN25 4DS · Challock, Ashford, Kent · U.K. · **Tel**: <u>+44</u> (0) 1233 742673

<u>GR Office:</u> 41, Agiou Dimitriou Str. • 185 46 • Piraeus • Greece • **Tel.:** +30 210 45 10000 • **Fax:** + 30 210 46 10333

Web: www.smmnet.com · Email: info@smmnet.co.uk , sales@smmnet.co.uk